



Zahnriemenscheiben T 2,5


Teilung 2,5 mm - Riemenbreite 6 mm



1F



2F





2

Code	Type	Material	Zähnezahl		de	Df	Dm	F	L	d	kg
16 T 2,5 12	1F	Al	12		9,00	13	12	9	16		0,01
16 T 2,5 14	1F	Al	14		10,60	15	14	9	16		0,01
16 T 2,5 15	1F	Al	15		11,40	15	15	9	16		0,01
16 T 2,5 16	1F	Al	16		12,20	16	16	9	16		0,01
16 T 2,5 18	2F	Al	18		13,80	18	10	10	16	3	0,01
16 T 2,5 19	2F	Al	19		14,60	18	10	10	16	3	0,01
16 T 2,5 20	2F	Al	20		15,40	20	11	10	16	3	0,01
16 T 2,5 22	2F	Al	22		17,00	23	11	10	16	3	0,01
16 T 2,5 24	2F	Al	24		18,55	23	12	10	16	3	0,01
16 T 2,5 25	2F	Al	25		19,35	23	13	10	16	3	0,01
16 T 2,5 26	2F	Al	26		20,15	25	14	10	16	4	0,01
16 T 2,5 28	2F	Al	28		21,75	25	14	10	16	4	0,02
16 T 2,5 30	2F	Al	30		23,35	28	16	10	16	6	0,02
16 T 2,5 32	2F	Al	32		24,95	32	16	10	16	6	0,02
16 T 2,5 36	2F	Al	36		28,10	36	20	10	16	6	0,03
16 T 2,5 40	2F	Al	40		31,30	38	22	10	16	6	0,03
16 T 2,5 44	2	Al	44		34,50		24	10	16	6	0,04
16 T 2,5 48	2	Al	48		37,70		26	10	16	6	0,05
16 T 2,5 60	2	Al	60		47,25		34	10	16	8	0,07

Zahnriemenscheiben T 5



Teilung 5 mm - Riemenbreite 10 mm



Code	Type	Material	Zähnezahl		de	Df	Dm	F	L	d	kg
21 T 5 10	2F	Al	10		15,05	19,5	8	15	21		0,01
21 T 5 12	2F	Al	12		18,25	23	10	15	21		0,01
21 T 5 14	2F	Al	14		21,45	25	13	15	21		0,02
21 T 5 15	2F	Al	15		23,05	28	16	15	21		0,02
21 T 5 16	2F	Al	16		24,60	32	18	15	21		0,03
21 T 5 18	2F	Al	18		27,80	32	20	15	21		0,03
21 T 5 19	2F	Al	19		29,40	36	22	15	21		0,04
21 T 5 20	2F	Al	20		31,00	36	23	15	21		0,04
21 T 5 22	2F	Al	22		34,25	38	24	15	21		0,05
21 T 5 24	2F	Al	24		37,40	42	26	15	21		0,06
21 T 5 25	2F	Al	25		38,95	44	26	15	21		0,06
21 T 5 26	2F	Al	26		40,60	44	26	15	21		0,06
21 T 5 27	2F	Al	27		42,20	48	30	15	21	8	0,07
21 T 5 28	2F	Al	28		43,75	48	32	15	21	8	0,07
21 T 5 30	2F	Al	30		46,95	51	34	15	21	8	0,07
21 T 5 32	2F	Al	32		50,10	51	38	15	21	8	0,09
21 T 5 36	2F	Al	36		56,45	63	38	15	21	8	0,11
21 T 5 40	2F	Al	40		62,85	66	40	15	21	8	0,14
21 T 5 42	2F	Al	42		66,00	71	40	15	21	8	0,18
21 T 5 44	2	Al	44		69,20		45	15	21	8	0,18
21 T 5 48	2	Al	48		75,55		50	15	21	8	0,20
21 T 5 60	2	Al	60		94,65		65	15	21	8	0,31

Zahnriemenscheiben T 5



Teilung 5 mm - Riemenbreite 16 mm



Code	Type	Material	Zähnezahl		de	Df	Dm	F	L	d	kg
27 T 5 10	2F	Al	10		15,05	20	8	21	27		0,02
27 T 5 12	2F	Al	12		18,25	23	10	21	27		0,02
27 T 5 14	2F	Al	14		21,45	25	13	21	27		0,03
27 T 5 15	2F	Al	15		23,05	28	16	21	27		0,03
27 T 5 16	2F	Al	16		24,60	32	18	21	27		0,04
27 T 5 18	2F	Al	18		27,80	32	20	21	27		0,04
27 T 5 19	2F	Al	19		29,40	36	22	21	27		0,05
27 T 5 20	2F	Al	20		31,00	36	23	21	27		0,06
27 T 5 22	2F	Al	22		34,25	38	24	21	27		0,06
27 T 5 24	2F	Al	24		37,40	42	26	21	27		0,08
27 T 5 25	2F	Al	25		38,95	44	26	21	27		0,08
27 T 5 26	2F	Al	26		40,60	44	26	21	27		0,09
27 T 5 27	2F	Al	27		42,20	48	30	21	27	8	0,09
27 T 5 28	2F	Al	28		43,75	48	32	21	27	8	0,09
27 T 5 30	2F	Al	30		46,95	51	34	21	27	8	0,10
27 T 5 32	2F	Al	32		50,10	54	38	21	27	8	0,12
27 T 5 36	2F	Al	36		56,45	63	38	21	27	8	0,16
27 T 5 40	2F	Al	40		62,85	66	40	21	27	8	0,19
27 T 5 42	2F	Al	42		66,00	71	40	21	27	8	0,20
27 T 5 44	2	Al	44		69,20		45	21	27	8	0,23
27 T 5 48	2	Al	48		75,55		50	21	27	8	0,28
27 T 5 60	2	Al	60		94,65		65	21	27	8	0,43

Zahnriemenscheiben T 5



Teilung 5 mm - Riemenbreite 25 mm



Code	Type	Material	Zähnezahl		de	Df	Dm	F	L	d	kg
36 T 5 10	2F	Al	10		15,05	20	8	30	36		0,02
36 T 5 12	2F	Al	12		18,25	23	10	30	36		0,03
36 T 5 14	2F	Al	14		21,45	25	13	30	36		0,04
36 T 5 15	2F	Al	15		23,05	28	16	30	36		0,04
36 T 5 16	2F	Al	16		24,60	32	18	30	36		0,05
36 T 5 18	2F	Al	18		27,80	32	20	30	36		0,06
36 T 5 19	2F	Al	19		29,40	36	22	30	36		0,07
36 T 5 20	2F	Al	20		31,00	36	23	30	36		0,08
36 T 5 22	2F	Al	22		34,25	38	24	30	36		0,08
36 T 5 24	2F	Al	24		37,40	42	26	30	36		0,11
36 T 5 25	2F	Al	25		38,95	44	26	30	36		0,12
36 T 5 26	2F	Al	26		40,60	44	26	30	36		0,12
36 T 5 27	2F	Al	27		42,20	48	30	30	36	8	0,13
36 T 5 28	2F	Al	28		43,75	48	32	30	36	8	0,14
36 T 5 30	2F	Al	30		46,95	51	34	30	36	8	0,15
36 T 5 32	2F	Al	32		50,10	54	38	30	36	8	0,18
36 T 5 36	2F	Al	36		56,45	63	38	30	36	8	0,23
36 T 5 40	2F	Al	40		62,85	66	40	30	36	8	0,28
36 T 5 42	2F	Al	42		66,00	71	40	30	36	8	0,29
36 T 5 44	2	Al	44		69,20		45	30	36	8	0,31
36 T 5 48	2	Al	48		75,55		50	30	36	8	0,40
36 T 5 60	2	Al	60		94,65		65	30	36	8	0,61

Zahnriemenscheiben T 10



Teilung 10 mm - Riemenbreite 16 mm



Code	Type	Material	Zähnezahl	de	Df	Dm	F	L	d	kg
31 T 10 12	2F	Al	12	36,35	42	28	21	31	6	0,08
31 T 10 14	2F	Al	14	42,70	48	32	21	31	8	0,10
31 T 10 15	2F	Al	15	45,90	51	32	21	31	8	0,12
31 T 10 16	2F	Al	16	49,10	54	35	21	31	8	0,13
31 T 10 18	2F	Al	18	55,45	60	40	21	31	8	0,17
31 T 10 19	2F	Al	19	58,65	66	44	21	31	8	0,18
31 T 10 20	2F	Al	20	61,80	66	46	21	31	8	0,21
31 T 10 22	2F	Al	22	68,20	75	52	21	31	8	0,25
31 T 10 24	2F	Al	24	74,55	83	58	21	31	8	0,29
31 T 10 25	2F	Al	25	77,75	83	60	21	31	8	0,31
31 T 10 26	2F	Al	26	80,90	87	60	21	31	8	0,36
31 T 10 27	2F	Al	27	84,10	91	60	21	31	8	0,37
31 T 10 28	2F	Al	28	87,25	93	60	21	31	8	0,40
31 T 10 30	2F	Al	30	93,65	97	60	21	31	8	0,44
31 T 10 32	2F	Al	32	100,00	106	65	21	31	10	0,49
31 T 10 36	2F	Al	36	112,75	119	70	21	31	10	0,62
31 T 10 40	2F	Al	40	125,45	131	80	21	31	10	0,77
31 T 10 44	2	Al	44	138,20		88	21	31	10	1,00
31 T 10 48	2	Al	48	150,95		95	21	31	16	1,10
31 T 10 60	2	Al	60	189,15		110	21	31	16	1,70

Zahnriemenscheiben T 10



Teilung 10 mm - Riemenbreite 25 mm



Code	Type	Material	Zähnezahl	de	Df	Dm	F	L	d	kg
40 T 10 12	2F	Al	12	36,35	42	28	30	40	6	0,1
40 T 10 14	2F	Al	14	42,70	48	32	30	40	8	0,13
40 T 10 15	2F	Al	15	45,90	51	32	30	40	8	0,15
40 T 10 16	2F	Al	16	49,10	54	35	30	40	8	0,18
40 T 10 18	2F	Al	18	55,45	60	40	30	40	8	0,22
40 T 10 19	2F	Al	19	58,65	66	44	30	40	8	0,25
40 T 10 20	2F	Al	20	61,80	66	46	30	40	8	0,28
40 T 10 22	2F	Al	22	68,20	75	52	30	40	8	0,34
40 T 10 24	2F	Al	24	74,55	83	58	30	40	8	0,39
40 T 10 25	2F	Al	25	77,75	83	60	30	40	8	0,42
40 T 10 26	2F	Al	26	80,90	87	60	30	40	8	0,48
40 T 10 27	2F	Al	27	84,10	91	60	30	40	8	0,54
40 T 10 28	2F	Al	28	87,25	93	60	30	40	8	0,55
40 T 10 30	2F	Al	30	93,65	97	60	30	40	8	0,64
40 T 10 32	2F	Al	32	100,00	106	65	30	40	10	0,69
40 T 10 36	2F	Al	36	112,75	119	70	30	40	10	0,87
40 T 10 40	2F	Al	40	125,45	131	80	30	40	10	1,07
40 T 10 44	2	Al	44	138,20		88	30	40	10	1,35
40 T 10 48	2	Al	48	150,95		95	30	40	16	1,52
40 T 10 60	2	Al	60	189,15		110	30	40	16	2,34

Zahnriemenscheiben T 10



Teilung 10 mm - Riemenbreite 32 mm



Code	Type	Material	Zähnezahl		de	Df	Dm	F	L	d	kg
47 T 10 18	2F	Al	18		55,45	60	40	37	47	10	0,25
47 T 10 19	2F	Al	19		58,65	66	44	37	47	10	0,29
47 T 10 20	2F	Al	20		61,80	66	46	37	47	12	0,32
47 T 10 22	2F	Al	22		68,20	75	52	37	47	12	0,39
47 T 10 24	2F	Al	24		74,55	83	58	37	47	12	0,47
47 T 10 25	2F	Al	25		77,75	83	60	37	47	12	0,53
47 T 10 26	2F	Al	26		80,90	87	60	37	47	12	0,56
47 T 10 27	2F	Al	27		84,10	91	60	37	47	12	0,60
47 T 10 28	2F	Al	28		87,25	93	60	37	47	12	0,64
47 T 10 30	2F	Al	30		93,65	97	60	37	47	12	0,74
47 T 10 32	2F	Al	32		100,00	106	65	37	47	12	0,84
47 T 10 36	2F	Al	36		112,75	119	70	37	47	16	1,06
47 T 10 40	2F	Al	40		125,45	131	80	37	47	16	1,32
47 T 10 44	2	Al	44		138,20		88	37	47	16	1,61
47 T 10 48	2	Al	48		150,95		95	37	47	16	1,93
47 T 10 60	2	Al	60		189,10		110	37	47	16	3,00

Zahnriemenscheiben T 10



Teilung 10 mm - Riemenbreite 50 mm



Code	Type	Material	Zähnezahl		de	Df	Dm	F	L	d	kg
66 T 10 18	2F	Al	18		55,45	60	40	56	66	10	0,42
66 T 10 19	2F	Al	19		58,65	66	44	56	66	10	0,47
66 T 10 20	2F	Al	20		61,80	66	46	56	66	12	0,52
66 T 10 22	2F	Al	22		68,20	75	52	56	66	12	0,57
66 T 10 24	2F	Al	24		74,55	83	58	56	66	12	0,74
66 T 10 25	2F	Al	25		77,75	83	60	56	66	12	0,77
66 T 10 26	2F	Al	26		80,90	87	60	56	66	12	0,82
66 T 10 27	2F	Al	27		84,10	91	60	56	66	12	0,95
66 T 10 28	2F	Al	28		87,25	93	60	56	66	12	0,96
66 T 10 30	2F	Al	30		93,65	97	60	56	66	12	1,17
66 T 10 32	2F	Al	32		100,00	106	65	56	66	12	1,30
66 T 10 36	2F	Al	36		112,75	119	70	56	66	16	1,64
66 T 10 40	2F	Al	40		125,45	131	80	56	66	16	2,00
66 T 10 44	2	Al	44		138,20		88	56	66	16	2,36
66 T 10 48	2	Al	48		150,95		95	56	66	16	2,83
66 T 10 60	2	Al	60		189,10		110	56	66	16	4,37

Zahnriemenscheiben BAT 5



Teilung 5 mm - Riemenbreite 10 mm



Code	Type	Material	Zähnezahl	de	Df	Dm	F	L	d	kg
21 BAT 5 12	2F	Al	12	17,85	23	10	15	21		0,01
21 BAT 5 14	2F	Al	14	21,05	25	13	15	21		0,02
21 BAT 5 15	2F	Al	15	22,65	28	16	15	21		0,02
21 BAT 5 16	2F	Al	16	24,20	32	18	15	21		0,03
21 BAT 5 18	2F	Al	18	27,40	32	20	15	21		0,03
21 BAT 5 19	2F	Al	19	29,00	36	22	15	21		0,04
21 BAT 5 20	2F	Al	20	30,60	36	23	15	21		0,04
21 BAT 5 22	2F	Al	22	33,85	38	24	15	21		0,05
21 BAT 5 24	2F	Al	24	37,00	42	26	15	21		0,06
21 BAT 5 25	2F	Al	25	38,55	44	26	15	21		0,06
21 BAT 5 26	2F	Al	26	40,20	44	26	15	21		0,06
21 BAT 5 27	2F	Al	27	41,80	48	30	15	21	8	0,07
21 BAT 5 28	2F	Al	28	43,35	48	32	15	21	8	0,07
21 BAT 5 30	2F	Al	30	46,55	51	34	15	21	8	0,07
21 BAT 5 32	2F	Al	32	49,70	54	38	15	21	8	0,09
21 BAT 5 36	2F	Al	36	56,05	63	38	15	21	8	0,11
21 BAT 5 40	2F	Al	40	62,45	66	40	15	21	8	0,14
21 BAT 5 42	2F	Al	42	65,60	71	40	15	21	8	0,18
21 BAT 5 44	2	Al	44	68,80		45	15	21	8	0,18
21 BAT 5 48	2	Al	48	75,15		50	15	21	8	0,2
21 BAT 5 60	2	Al	60	94,25		65	15	21	8	0,31

Zahnriemenscheiben BAT 5



Teilung 5 mm - Riemenbreite 16 mm



Code	Type	Material	Zähnezahl	de	Df	Dm	F	L	d	kg
27 BAT 5 12	2F	Al	12	17,85	23	10	21	27		0,02
27 BAT 5 14	2F	Al	14	21,05	25	13	21	27		0,03
27 BAT 5 15	2F	Al	15	22,65	28	16	21	27		0,03
27 BAT 5 16	2F	Al	16	24,20	32	18	21	27		0,04
27 BAT 5 18	2F	Al	18	27,40	32	20	21	27		0,04
27 BAT 5 19	2F	Al	19	29,00	36	22	21	27		0,05
27 BAT 5 20	2F	Al	20	30,60	36	23	21	27		0,06
27 BAT 5 22	2F	Al	22	33,85	38	24	21	27		0,06
27 BAT 5 24	2F	Al	24	37,00	42	26	21	27		0,08
27 BAT 5 25	2F	Al	25	38,55	44	26	21	27		0,08
27 BAT 5 26	2F	Al	26	40,20	44	26	21	27		0,09
27 BAT 5 27	2F	Al	27	41,80	48	30	21	27		0,09
27 BAT 5 28	2F	Al	28	43,35	48	32	21	27		0,09
27 BAT 5 30	2F	Al	30	46,55	51	34	21	27		0,10
27 BAT 5 32	2F	Al	32	49,70	54	38	21	27	8	0,12
27 BAT 5 36	2F	Al	36	56,05	63	38	21	27	8	0,16
27 BAT 5 40	2F	Al	40	62,45	66	40	21	27	8	0,19
27 BAT 5 42	2F	Al	42	65,60	71	40	21	27	8	0,20
27 BAT 5 44	2	Al	44	68,80		45	21	27	8	0,23
27 BAT 5 48	2	Al	48	75,15		50	21	27	8	0,28
27 BAT 5 60	2	Al	60	94,25		65	21	27	8	0,43

Zahnriemenscheiben BAT 5


Teilung 5 mm - Riemenbreite 25 mm



Code	Type	Material	Zähnezahl		de	Df	Dm	F	L	d	kg
36 BAT 5 12	2F	Al	12		17,85	23	10	30	36		0,03
36 BAT 5 14	2F	Al	14		21,05	25	13	30	36		0,04
36 BAT 5 15	2F	Al	15		22,65	28	16	30	36		0,04
36 BAT 5 16	2F	Al	16		24,20	32	18	30	36		0,05
36 BAT 5 18	2F	Al	18		27,40	32	20	30	36		0,06
36 BAT 5 19	2F	Al	19		29,00	36	22	30	36		0,07
36 BAT 5 20	2F	Al	20		30,60	36	23	30	36		0,08
36 BAT 5 22	2F	Al	22		33,85	38	24	30	36		0,08
36 BAT 5 24	2F	Al	24		37,00	42	26	30	36	8	0,11
36 BAT 5 25	2F	Al	25		38,55	44	26	30	36	8	0,12
36 BAT 5 26	2F	Al	26		40,20	44	26	30	36	8	0,12
36 BAT 5 27	2F	Al	27		41,80	48	30	30	36	8	0,13
36 BAT 5 28	2F	Al	28		43,35	48	32	30	36	8	0,14
36 BAT 5 30	2F	Al	30		46,55	51	34	30	36	8	0,15
36 BAT 5 32	2F	Al	32		49,70	54	38	30	36	8	0,18
36 BAT 5 36	2F	Al	36		56,05	63	38	30	36	8	0,23
36 BAT 5 40	2F	Al	40		62,45	66	40	30	36	8	0,28
36 BAT 5 42	2F	Al	42		65,60	71	40	30	36	8	0,29
36 BAT 5 44	2	Al	44		68,80		45	30	36	8	0,31
36 BAT 5 48	2	Al	48		75,15		50	30	36	8	0,40
36 BAT 5 60	2	Al	60		94,25		65	30	36	8	0,61

Zahnriemenscheiben BAT 10



Teilung 10 mm - Riemenbreite 16 mm



Code	Type	Material	Zähnezahl		de	Df	Dm	F	L	d	kg
31 BAT 10 15	2F	Al	15		45,90	51	32	21	31	8	0,12
31 BAT 10 16	2F	Al	16		49,10	54	35	21	31	8	0,13
31 BAT 10 18	2F	Al	18		55,45	60	40	21	31	8	0,17
31 BAT 10 19	2F	Al	19		58,65	66	44	21	31	8	0,18
31 BAT 10 20	2F	Al	20		61,80	66	46	21	31	8	0,21
31 BAT 10 22	2F	Al	22		68,20	75	52	21	31	8	0,25
31 BAT 10 24	2F	Al	24		74,55	83	58	21	31	8	0,29
31 BAT 10 25	2F	Al	25		77,75	83	60	21	31	8	0,31
31 BAT 10 26	2F	Al	26		80,90	87	60	21	31	8	0,36
31 BAT 10 27	2F	Al	27		84,05	91	60	21	31	8	0,37
31 BAT 10 28	2F	Al	28		87,25	93	60	21	31	8	0,40
31 BAT 10 30	2F	Al	30		93,65	97	60	21	31	8	0,44
31 BAT 10 32	2F	Al	32		100,00	106	65	21	31	10	0,49
31 BAT 10 36	2F	Al	36		112,75	119	70	21	31	10	0,62
31 BAT 10 40	2F	Al	40		125,45	131	80	21	31	10	0,77
31 BAT 10 44	2	Al	44		138,20		88	21	31	10	1,00
31 BAT 10 48	2	Al	48		150,95		95	21	31	16	1,10
31 BAT 10 60	2	Al	60		189,15		110	21	31	16	1,70

Zahnriemenscheiben BAT 10



Teilung 10 mm - Riemenbreite 25 mm



Code	Type	Material	Zähnezahl	de	Df	Dm	F	L	d	kg
40 BAT 10 15	2F	Al	15	45,90	51	32	30	40	8	0,15
40 BAT 10 16	2F	Al	16	49,10	54	35	30	40	8	0,18
40 BAT 10 18	2F	Al	18	55,45	60	40	30	40	8	0,22
40 BAT 10 19	2F	Al	19	58,65	66	44	30	40	8	0,25
40 BAT 10 20	2F	Al	20	61,80	66	46	30	40	8	0,28
40 BAT 10 22	2F	Al	22	68,20	75	52	30	40	8	0,34
40 BAT 10 24	2F	Al	24	74,55	83	58	30	40	8	0,39
40 BAT 10 25	2F	Al	25	77,75	83	60	30	40	8	0,42
40 BAT 10 26	2F	Al	26	80,90	87	60	30	40	8	0,48
40 BAT 10 27	2F	Al	27	84,05	91	60	30	40	8	0,54
40 BAT 10 28	2F	Al	28	87,25	93	60	30	40	8	0,55
40 BAT 10 30	2F	Al	30	93,65	97	60	30	40	8	0,64
40 BAT 10 32	2F	Al	32	100,00	106	65	30	40	10	0,69
40 BAT 10 36	2F	Al	36	112,75	119	70	30	40	10	0,87
40 BAT 10 40	2F	Al	40	125,45	131	80	30	40	10	1,07
40 BAT 10 44	2	Al	44	138,20		88	30	40	10	1,35
40 BAT 10 48	2	Al	48	150,95		95	30	40	16	1,52
40 BAT 10 60	2	Al	60	189,15		110	30	40	16	2,34

Zahnriemenscheiben BAT 10



Teilung 10 mm - Riemenbreite 32 mm



Code	Type	Material	Zähnezahl	de	Df	Dm	F	L	d	kg
47 BAT 10 18	2F	Al	18	55,45	60	40	37	47	10	0,25
47 BAT 10 19	2F	Al	19	58,65	66	44	37	47	10	0,29
47 BAT 10 20	2F	Al	20	61,80	66	46	37	47	12	0,32
47 BAT 10 22	2F	Al	22	68,20	75	52	37	47	12	0,39
47 BAT 10 24	2F	Al	24	74,55	83	58	37	47	12	0,47
47 BAT 10 25	2F	Al	25	77,75	83	60	37	47	12	0,53
47 BAT 10 26	2F	Al	26	80,90	87	60	37	47	12	0,56
47 BAT 10 27	2F	Al	27	84,05	91	60	37	47	12	0,60
47 BAT 10 28	2F	Al	28	87,25	93	60	37	47	12	0,64
47 BAT 10 30	2F	Al	30	93,65	97	60	37	47	12	0,74
47 BAT 10 32	2F	Al	32	100,00	106	65	37	47	12	0,84
47 BAT 10 36	2F	Al	36	112,75	119	70	37	47	16	1,06
47 BAT 10 40	2F	Al	40	125,45	131	80	37	47	16	1,32
47 BAT 10 44	2	Al	44	138,20		88	37	47	16	1,61
47 BAT 10 48	2	Al	48	150,95		95	37	47	16	1,93
47 BAT 10 60	2	Al	60	189,15		110	37	47	16	3,00

Zahnriemenscheiben BAT 10

Teilung 10 mm - Riemenbreite 50 mm



Code	Type	Material	Zähnezahl	de	Df	Dm	F	L	d	kg
66 BAT 10 18	2F	Al	18	55,45	60	40	56	66	10	0,42
66 BAT 10 19	2F	Al	19	58,65	66	44	56	66	10	0,47
66 BAT 10 20	2F	Al	20	61,80	66	46	56	66	12	0,52
66 BAT 10 22	2F	Al	22	68,20	75	52	56	66	12	0,57
66 BAT 10 24	2F	Al	24	74,55	83	58	56	66	12	0,74
66 BAT 10 25	2F	Al	25	77,75	83	60	56	66	12	0,77
66 BAT 10 26	2F	Al	26	80,90	87	60	56	66	12	0,82
66 BAT 10 27	2F	Al	27	84,05	91	60	56	66	12	0,95
66 BAT 10 28	2F	Al	28	87,25	93	60	56	66	12	0,96
66 BAT 10 30	2F	Al	30	93,65	97	60	56	66	12	1,17
66 BAT 10 32	2F	Al	32	100,00	106	65	56	66	12	1,30
66 BAT 10 36	2F	Al	36	112,75	119	70	56	66	16	1,64
66 BAT 10 40	2F	Al	40	125,45	131	80	56	66	16	2,00
66 BAT 10 44	2	Al	44	138,20		88	56	66	16	2,36
66 BAT 10 48	2	Al	48	150,95		95	56	66	16	2,83
66 BAT 10 60	2	Al	60	189,15		110	56	66	16	4,37